


STATE: Andhra Pradesh



DATED: 01/07/2013

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)						
Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Remarks	
		Instt.	Std. Comm.	Approval by Sub-Committee of NCVT		
1 Govt. ITI, Girls, Venkateswarapura, Dist. Nellore Andhra Pradesh  DGET-6/1/11/99-TC	Electrician	2(1+1)	2(1+1)	2(1+1)	SCIR-25/5/2012 SIR-27/5/2013 w.e.f. Aug 2013	
2 Sri Krishna Private ITI, Markapuram road, Yerragondapalem Dist. Prakasam Andhra Pradesh  DGET-6/1/41/2009-TC	Fitter	2(1+1)	2(1+1)	2(1+1)	SCIR-11/7/2011 SIR-12/16/2012 SIR-27/5/2013 w.e.f. Aug 2013	
	Mechanic Diesel	2(1+1)	2(1+1)	2(1+1)		
3 Aware Private ITI, Aswaraopet, Dist. Khammam Andhra Pradesh  DGET-6/1/18/93-TC	Electrician	Addl. 2(1+1)	Addl. 2(1+1)	*\$	SCIR-15/3/2011 *Major General machinery items are short. # Bill of Computer & software for Auto CAD is not enclosed. \$All the pages are not authenticated by SCIR member as it is only photocopy.	
	Draughtsman Civil	2(1+1)	2(1+1)	#\$		

  
 पी. एन. यादव/P. N. YADAV  
 संयुक्त निदेशक प्रशिक्षण / Joint Director Training  
 डी.जी.ई. एण्ड टी., श्रम एवं रोजगार मंत्रालय  
 D.G.E.&T., Ministry of Labour & Employment